

WHAT IS CLAIMED IS:

- 1 1. A method of accessing an electronic file, comprising:
2 querying a license server associated with an encrypted version of the
3 electronic file in response to a read access request to the electronic file;
4 issuing a token from said license server according to an access policy
5 when access to the electronic file is authorized; and
6 decrypting said encrypted version of said electronic file to a volatile
7 memory using said token to produce the electronic file.
- 1 2. The accessing method of claim 1, further comprising:
2 limiting, after said decrypting step, access by all unauthorized processes to
3 said volatile memory.
- 1 3. The accessing method of claim 1, further comprising:
2 inhibiting, after said decrypting step, transfer of the electronic file to a
3 nonvolatile memory.
- 1 4. The accessing method of claim 1 wherein said querying step
2 includes extracting a key from said encrypted version of the electronic file and using said
3 key to access said license server.
- 1 5. The accessing method of claim 1 wherein said access policy limits
2 a number of processes that concurrently access the electronic file in said volatile memory.
- 1 6. The accessing method of claim 1 wherein said access policy limits
2 a number of operations on the electronic file in said volatile memory.
- 1 7. The accessing method of claim 1 wherein said access policy
2 selectively enables decryption of a portion of the electronic file.
- 1 8. The accessing method of claim 1 wherein said decrypting step
2 decrypts a portion of the file at any time and overwrites successive portions on top of
3 previously decrypted portions.

1 9. The accessing method of claim 1 wherein decrypting step includes
2 both a cryptological function and a tokenization and transformation function.

1 10. The accessing method of claim 1 wherein said read request is
2 issued from an access program.

1 11. The accessing method of claim 10 wherein said access program is
2 an interpreted program translator and the electronic file is source for said interpreted
3 program translator.

1 12. The accessing method of claim 1 wherein said access policy
2 provides for third party access control.

1 13. The accessing method of claim 1 wherein said license server is a
2 local file.

1 14. The accessing method of claim 1 wherein said license server is a
2 remote file not available on a computing system storing the encrypted electronic file.

1 15. The accessing method of claim 1 wherein said license server is
2 coupled to the electronic file.

1 16. A method of producing an electronic file having embedded access
2 control, comprising:

3 encrypting the electronic file with a first key to produce an encrypted
4 electronic file; and

5 associating said encrypted electronic file with an access executable and a
6 license server having an access policy for the electronic file, both operable on a
7 computing system, said license server responsive to an access request from said access
8 executable to issue a first token to said access executable according to said first key and
9 said access policy, and said access executable responsive to said first token to decrypt
10 said encrypted electronic file into a volatile memory protected by said access executable.

1 17. The producing method of claim 16 wherein encrypting step
2 includes both a cryptological function and a tokenization and transformation function.

1 18. A method of providing access to a process executing on a
2 computing system of an encrypted electronic file containing a plain electronic file,
3 comprising:
4 issuing an access instruction from the process to access the plain electronic
5 file;
6 querying a license server associated with the encrypted electronic file in
7 response to said access instruction;
8 issuing a token from said license server according to an access policy
9 when access to the plain electronic file is authorized, said token containing access
10 authorization instructions;
11 decrypting so much of the encrypted electronic file to a volatile memory as
12 authorized by said access authorization instructions to write all or a portion of the plain
13 electronic file into said volatile memory; and
14 providing controlled access of said portion of the plain electronic file in
15 said volatile memory to the process while inhibiting all other accesses to said volatile
16 memory by other processes.

1 19. A system for accessing an electronic file, comprising:
2 means for querying a license server associated with an encrypted version
3 of the electronic file in response to a read access request to the electronic file;
4 means, coupled to said querying means, for issuing a token from said
5 license server according to an access policy when access to the electronic file is
6 authorized; and
7 means, coupled to said issuing means, for decrypting said encrypted
8 version of said electronic file to a volatile memory using said token to produce the
9 electronic file.

1 20. A system for producing an electronic file having embedded access
2 control, comprising:
3 means for encrypting the electronic file with a first key to produce an
4 encrypted electronic file; and
5 means, coupled to said encrypting means, for associating said encrypted
6 electronic file with an access executable and a license server having an access policy for

7 the electronic file, both operable on a computing system, said license server responsive to
8 an access request from said access executable to issue a first token to said access
9 executable according to said first key and said access policy, and said access executable
10 responsive to said first token to decrypt said encrypted electronic file into a volatile
11 memory protected by said access executable.

1 21. A system for providing access to a process executing on a
2 computing system of an encrypted electronic file containing a plain electronic file,
3 comprising:

4 means for issuing an access instruction from the process to access the plain
5 electronic file;

6 means, coupled to said access instruction issuing means, for querying a
7 license server associated with the encrypted electronic file in response to said access
8 instruction;

9 means, coupled to said querying means, for issuing a token from said
10 license server according to an access policy when access to the plain electronic file is
11 authorized, said token containing access authorization instructions;

12 means, coupled to said token issuing means, for decrypting so much of the
13 encrypted electronic file to a volatile memory as authorized by said access authorization
14 instructions to write all or a portion of the plain electronic file into said volatile memory;
15 and

16 means, coupled to said decrypting means, for providing controlled access
17 of said portion of the plain electronic file in said volatile memory to the process while
18 inhibiting all other accesses to said volatile memory by other processes.